

Using Third Party Components for Building an Application Might be More Dangerous Than You Think!

Achim D. Brucker

Fabio Massacci

Stanislav Dashevskyi









Abstract

Today, nearly all developers rely on third party components for building an application. Thus, for most software vendors, third party components in general and Free/Libre and Open Source Software (FLOSS) in particular, are an integral part of their software supply chain.

As the security of a software offering, independently of the delivery model, depends on all components, a secure software supply chain is of utmost importance. While this is true for both proprietary and as well as FLOSS components that are consumed, FLOSS components impose particular challenges as well as provide unique opportunities. For example, on the one hand, FLOSS licenses contain usually a very strong "no warranty" clause and no service-level agreement. On the other hand, FLOSS licenses allow to modify the source code and, thus, to fix issues without depending on an (external) software vendor.

This talk is based on working on integrating securely third-party components in general, and FLOSS components in particular, into the SAP's Security Development Lifecycle (SSDL). Thus, our experience covers a wide range of products (e.g., from small mobile applications of a few thousands lines of code to large scale enterprise applications with more than a billion lines of code), a wide range of software development models (ranging from traditional waterfall to agile software engineering to DevOps), as well as a multiple deployment models (e.g., on premise products, custom hosting, or software-as-a-service).



About Us



Achim D. Brucker

- Senior Lecturer (Software Security), University of Sheffield, UK
- Software Security Consultant
- Until 12/2015: Security Testing Strategist at SAP SE, Germany

Stanislav Dashevskyi

• PhD Student at the University of Trento and SAP SE, France






Part I:

Securing The Software Supply Chain or The Security Risk of Third Party Components



Secure Software Development





Secure Software Development

elop

)e\


ecure

ograr

tatic c

ode r


How We Used To Develop Software



- Very few external dependencies
- Full control over source code


 Secul curric

How We Develop Software Today



- Many external dependencies
- Only control over a small part of the source code

The Maintenance Challenge




- > 90% of customers are using the latest two releases
- > 50 % of customers are using releases older 10 years

Product	Release	EoL	Ext. EoL
Windows XP	2001	2009	2014
Windows 8	2012	2018	2023
SAP SRM	2006	2013	2016
Red Hat	2012	2020	2023
Tomcat	2007	2016	n/a

Secure Software Development

MMXVI




Types of Third-Party Software

	Commercial Libraries Outsourcing Bespoke Software	Freeware	Free/Libre Open Source Software (FLOSS)
	OutsourcingSAP HANA	Jabra Device DriverNVIDIA Device Driver	Apache TomcatJQuery
Upfront costs	High	Low	Low
Ease of access (for developers)	Hard	Medium	Easy
Modification of Source Code	Depends on contract	Impossible	Possible
Support contract	Easy	Hard	Medium
APPSEC EUROPE			



Types of Third-Party Software





Data Sources

Public

- FOSS information repositories

- Open Hub (formerly Ohloh)
- Core Infrastructure Initiative (CII) Census project

Public databases of vulnerabilities

- National Vulnerability Database (NVD)
- Exploit Database website (ExploitDB)
- Open Sourced Vulnerability Database (OSVDB)

- Project data

- Coverity FOSS scan service
- Source code repositories


Internal




Software inventory (e.g., Black Duck Code Center as used by SAP)

FLOSS Usage At SAP

Programming Languages



Java
C
JavaScript
PHP
C++
Other



Vulnerabilities (CVEs)

■ Code execution ■ Overflow Bypass something ■ Gain information ■XSS ■ Gain privileges Directory traversal Memory corruption

Based on the 166 most used FOSS components (as of autumn 2015)

Part II:

Security of Open Source Enterprise Frameworks or Assessing Risks and Planning Efforts of the Secure Consumption of FLOSS



What We Want


- 1. How many vulnerabilities will be published next year for component X?
- 2. How often do I need to ship a patch to fix a vulnerability caused by component X?





https://www.flickr.com/photos/fimbrethil/4507848067/

Vulnerability Prediction?



MMXV

Vulnerability Prediction: Problems

- There is not enough data
- Number of vulnerabilities depends on: Age of the project Number of users
- Sometimes you simply have no choice...





Understanding Factors Is More Critical Than Predictions

- When will a vulnerability appear in a FOSS component?
 - We do not know
- Can we distinguish features of projects causing "problems" for consuming software?
 - We use maintenance effort of proprietary consumers to denote "problems"
 - Does the "security culture" of FOSS developers make a difference?
 - Does is make a difference which main language/technology is used?



Which Factors Are Interesting?

- Collect all possible data, build a regression model to asses the impact of each factor
- Can we use all data that is available?
 - Actual Total #LoCs of a component
 - Added Total #LoCs of a component
 - Removed Total #LoCs of a component
 - Changed Total #LoCs (added, removed, etc.)...






Relationships Between Factors

LOCS_TOTAL vs LOCS_ADDED


LOCS TOTAL vs LOCS REMOVED



ROMA

MMXV

Total current LOCs (log10 scale)





Total current LOCs (log10 scale)

Evolution of projects (log10 scale)

LOCS ADDED vs. LOCS REMOVED

LOCS TOTAL vs LOCS EVOLUTION





Total added LOCs (log10 scale)

2.5 0 2.0 1.5 1.0 0.5 00 7

Total current LOCs (log10 scale)

Different Maintenance Models

60 products are using Apache Tomcat

- Requires a lot of expertise to resolve security issues
- It makes more sense to have a team of Apache Tomcat experts around

• 2 products are using a small JavaScript library

- This does not require any major expertise
- However, if a company ends up using large number of products for which only the "local" expertise exists, it may be problematic



Centralized Security Maintenance

- Policy: dev. teams must select only components widely used and supported within a company
- A central team resolves vulnerabilities in all FOSS components and pushes changes to all consumers
- The security maintenance effort scales logarithmically with the number of products consuming a component

 $effort_i \propto \log(|vulns_i| * |products_i|)$




Distributed Security Maintenance

- Policy: each dev. team is free of selecting appropriate components
- Each team has to take care of security issues individually
- While this model should decrease the effort for organizational aspects (not considered by us), it adds up for the technical part of the effort

 $effort_i \propto |vulns_i| * |products_i|$





Part III:

Practical Recommendations On Controling Risk & Effort Of Using Third Party Components



Strategies For Controlling Risks (1/2)

Secure Software Development Life Cycle

- Maintain a detailed software inventory (Do not forget the dependencies)
- Actively monitor vulnerability databases
- Assess project specific risk of third-party components

Obtaining components (or sources)

 Download from trustworthy sources (https, check signatures/checksums)



Strategies For Controlling Risks (2/2)

Project Selection

- Prefer projects with private bug trackers
- Evidences of a healthy/working SDLC
 - Documented security fixes/patches (no "secret" security fixes)
 - Documented security guidelines
 - Use of security testing tools





Strategies For Controlling Effort

Secure Software Development Life Cycle

- Update early and often
- Avoid own forks (collaborate with FLOSS community)

Project selection

- Large user base
- Active development community
- Technologies you are familiar with
- Compatible maintenance strategy/life cycle



Smaller (in terms of code size) and less complex might be better



Part IV:

Conclusion



Conclusion

Do not waste time with unimportant questions!

(Is FLOSS more/less secure as proprietary software)

Implement a secure consumption strategy:

- Risk assessment of third party consumption (at least security & licenses)
- Plan for the efforts of secure consumption
- Plan the efforts/costs for response and maintenance



Conclusion

Do not waste time with unimportant questions!

(Is FLOSS more/less secure as proprietary software)

Final advice:

- Accept that you can be hit by a "black swan" (e.g., heartbleed)
- If it happens:
 - Concentrate on understanding and fixing the issue
 - Understanding why you did not find the swan earlier should not be your first priority



Thank you!

Contact:

Achim D. Brucker Department of Computer Science University of Sheffield Regent Court 211 Portobello St. Sheffield S1 4DP, UK

https://de.linkedin.com/in/adbrucker https://www.brucker.uk https://www.logicalhacking.com a.brucker@sheffield.ac.uk





Stanislav Dashevskyi University of Trento Scuola di dottorato in Informatica e Telecomunicazioni Via Sommarive, 14 38123 Povo, Italy

https://st.fbk.eu/people/profile/dashevskyi stanislav.dashevskyi@unitn.it

Bibliography

- Stanislav Dashevskyi, Achim D. Brucker, and Fabio Massacci. On the Security Cost of Using a Free and Open Source Component in a Proprietary Product. In International Symposium on Engineering Secure Software and Systems (ESSoS). Lecture Notes in Computer Science 9639, Springer-Verlag, 2016. https://www.brucker.ch/bibliography/abstract/dashevskyi.ea-foss-costs-2016.en.html
- Ruediger Bachmann and Achim D. Brucker. *Developing Secure Software: A Holistic Approach to Security Testing*. In Datenschutz und Datensicherheit (DuD), 38 (4), pages 257-261, 2014. https://www.brucker.ch/bibliography/abstract/bachmann.ea-security-testing-2014.en.html
- Achim D. Brucker and Uwe Sodan. *Deploying Static Application Security Testing on a Large Scale*. In GI Sicherheit 2014. Lecture Notes in Informatics, 228, pages 91-101, GI, 2014. https://www.brucker.ch/bibliography/abstract/brucker.ea-sast-expierences-2014.en.html
- Achim D. Brucker. Bringing Security Testing To Development: How To Enable Developers To Act As Security Experts, OWASP AppSecEU 2015. <u>https://youtu.be/LZoz4cv0MAg</u> https://www.brucker.ch/bibliography/abstract/talk-brucker.ea-owasp-sectest-2015.en.html



